FOOD AND DRUG LABORATORIES, INC.



MAURICE AVENUE AT 58TH STREET, MASPETH, NEW YORK 11378

FINAL

August 25, 1972
Teratologic Evaluation of FDA 71-17
(Sterculia (Karaya) Gum)
in
Mice, Rats, Hamsters and Rabbits

Food and Drug Besearch Laboratories

INCO RPORAT



Maurice Avenue at 58th Street Maspeth, New York 11378 Telephone: TWining 4-0800 Cable: Foodlabs, New York

FINAL REPORT

Submitted to: DHEW/Public Health Service

Food and Drug Administration CA-272

5600 Fishers Lane-Room 5C-13 Rockville, Maryland 20852

Date August 25, 1972

Laboratory No. 0893 g Contract No. FDA 71-260

Sample:

Fine white powdered material

Marking:

FDA 71-17 (Sterculia (Karaya) Gum)

Examination Requested: Teratologic evaluation of FDA 71-17 in mice.

Procedure:

See Appendix I

Results:

See Tables 1 through 4 and Appendix II

Subject to reexamination in the light of later findings, the Conclusion: following is concluded:

"The administration of up to 170 mg/kg (body weight) of the test material to pregnant mice for 10 consecutive days had no clearly discernible effect on nidation or on maternal or fetal survival. The number of abnormalities seen in either soft or skeletal tissues of the test groups did not differ from the number occurring spontaneously in the sham-treated controls.

In a concurrent group of mice dosed at a level of 800 mg/kg, however, a significant number of maternal deaths occurred (9 out of 28). The surviving dams appeared completely normal and bore normal fetuses with no effect on the rate of nidation or survival of live pups in utero. It was concluded that the test material was not a teratogen to mice under the conditions of the test."

FOOD AND DRUG RESEARCH LABORATORIES, INC.

et Morasseile Renneth Morgareidge, Ph.D

This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed, and neither the report nor the pame of these Laboratories nor of any members of its staff, may be used in connection with the advertising or sale of any product or process without written authorization.



Comment: Attention is called to the fact that this is the ninth of a series of reports which will be issued in accordance with the terms of the contract cited above. Eventually, a total of at least 36 compounds will have been tested in 18 pairs; each pair being run concurrently against one sham-treated control and one positive control group. Because of the inherent variability of biological data of the type dealt with here, the accumulation and pooling of sequential sets of control values will greatly enhance the statistical value of the findings and the ultimate reliability of the test results.

Groups: 81 & 82; 87 through 90

Material: FDA 71-17

Table 1

Fate Summary (Mice)

Date___July 17, 1972

Laboratory No. 0893 g

	Group	Material	Dose	To	tal	At T	erm .
	•			Mated	Pregnant	Surviving (Total)	Number Pregnant
					•		
	81	Sham	0	24	19	23	19
•		•	•				
	82	Aspirin	150	27	21	25	19
		•				<i>,</i>	
	87	FDA 71-17	′8	25	20	24	19
	•			,			
	88	FDA 71-17	37 ·	24	20	24	20
			•				
	89	FDA 71-17	170	22	19	21	19
		·			•		•
	90	FDA 71-17	800	29	21	18	16

Positive Control

^{**} Administered as a suspension in anhydrous corn oil; 1 ml per kg of body weight

FOOD AND DRUG RESEAF \(\frac{1}{2} \) LABORATORIES, INC.

Group: 81 & 82; 87 through 90

Material: FDA 71-17 Table 2

Material: FDA 71-17 Reproduction Data (Mice)

Date: July 17, 1972

Laboratory No.: 0893 g

Group:	81	82	87	88	89	90
Dose (mg/kg):	Sham	Aspirin**	8	37	170	800
Pregnancies						
Total No.	19 1	21 2	20 1	20 0	19 1 .	21 10
Died or Aborted (before Day 17) To term (on Day 17)	19	19	19	20	19	16
Corpora Lutea Total No. Average/dam mated		•				•
Live Litters Total No.*	19	19	19	20	19	16
Implant Sites Total No. Average/dam*	223 11.7	225 11.8	238 12.5	256 12.8	216 11.4	176 11.0
Resorptions Total No.* Dams with 1 or more sites resorbed Dams with all sites resorbed Per cent partial resorptions Per cent complete resorptions	8 6 0 31.6	17 9 0 47.4	13 8 0 42.1	12 8 0 40.0	14 12 0 63.2	7 6 0 37.5
Live Fetuses Total No. Average/dam* Sex ratio (M/F)	212 11.2 0.75	205 10.8 0.71	224 11.8 0.67	243 12.2 0.69	199 10.5 0.83	166 10.4 0.52
Dead Fetuses Total No.* Dams with 1 or more dead Dams with all dead Per cent partial dead Per cent all dead	3 3 0 15.8	3 3 0 15.8	1 1 0 5.26	1 1 0 5.00	3 3 0 15.8	3 2 0 12.5
Average Fetus Weight, g	0.90	0.85	0.88	0.86	0.91	0.80

^{*}Includes only those dams examined at term.

Groups 81 & 82; 87 through 90

Table 3

Laboratory No. 0893 g

Material FDA 71-17

Date July 17, 1972

Summary of Skeletal Findings (Mice)

			-				•	
	Findings Group Dose	No. (mg/kg)	81 Sham	82 Aspirin**	87 8	88 37	89 170	90
	Live Fetuses Examulation (at	mined term)	144/18 ^(a)	146/19	153/19	172/20	138/19	116/16
	Sternebrae Incomplete os:	S .	55/13	61/16	98/18	63/17	53/12	85/15
	Scrambled Bipartite		6/4		22/10	4/3	6/5	18/6 1/1
	Fused Extra Missing Other		22/10	1/1 41/9	18/7	21/9	3/2 11/6	1/1 36/1
	Ribs Incomplete oss Fused/split Wavy Less than 12 More than 13	s.	7/5	8/4	10/4	2/2	13/8	8/5
C	Other		., -		,	•	- ,	ŕ
Y	Vertebrae Incomplete oss Scrambled Fused Extra ctrs. os Scoliosis Tail defects Other			4/2	4/1			
	Skull Incomplete clo Missing Craniostosis Other	osure	2/2		3/1		٠.	
	Extremities Incomplete oss Missing Extra	s.	1/1		8/1		•	10/2
* <u>-</u>	Miscellaneous Hyoid; missin Hyoid; reduce	g đ	31/14 24/11	50/12 19/11	30/12 34/12	34/14 15/10	21/9 19/10	50/14 26/9

^{*} Numerator=Number of fetuses affected; Denominator=Number of litters affected ** Positive control at 150 mg/kg a) One litter lost

Groups 81 & 82; 87 through 90

Date July 17, 1972

Material FDA 71-17

Laboratory No. 0893 g

Table 3-a

Summary of Soft Tissue Abnormalities (Mice)

	Group	Material	Dose level mg/kg	Dam	Pup	Description
<u> </u>						
	89	FDA 71-17	170	G 3076	1	Meningocraniocoele

Groups 81 & 82; 87 through 90

Species Mice

Table 4 Average Body Weights* Date July 17, 1972 Laboratory No. 0893 g

Group	Material	Dose Level	0	6	Day 11	15	17**
}		mg/kg			g		~~~
81	Sham	0.0	29.6	31.3	34.0	42.4	47.6 (20)
82	Aspirin***	150.0	29.1	32.8	33,8	41,2	46,2 (19)
87	FDA 71-17	8.0	28.2	30.4	34.4	41.8	46.4 (19)
88	FDA 71-17	37.0	28.4	30.8	35.3	42.5	46.1 (20)
89	FDA 71-17	170.0	27.5	29.3	33.4	40.5	46.2 (19)
90	FDA 71-17	800.0	28.4	29.8	31.8	38.5	42.3 (16)

Of pregnant dams Number of surviving dams in parentheses (c.f. Table 1) Positive control



Appendix I

Teratology Study in Mice

Virgin adult female albino CD-1 outbred mice were individually housed in disposable plastic cages in temperature and humidity-controlled quarters with free access to food and fresh tap water. They were mated with young adult males, and observation of the vaginal sperm plug was considered Day 0 of gestation. Beginning on Day 6 and continuing daily through Day 15 of gestation, the females were dosed with the indicated dosages by oral intubation; the controls were sham treated.

Body weights were recorded on Days 0, 6, 11, 15, and 17 of gestation. All animals were observed daily for appearance and behavior with particular attention to food consumption and weight, in order to rule out any abnormalities which may have occurred as a result of anorexic effects in the pregnant female animal.

On Day 17 all dams were subjected to Caesarean section under surgical anesthesia, and the numbers of implantation sites, resorption sites, and live and dead fetuses were recorded. The body weights of the live pups were also recorded. The urogenital tract of each dam was examined in detail for anatomical normality.

All fetuses were examined grossly for the presence of external congenital abnormalities. One-third of the fetuses of each litter underwent detailed visceral examinations employing 10X magnification. The remaining two-thirds were cleared in potassium hydroxide (KOH), stained with alizarin red S dye and examined for skeletal defects.

Group 81

Appendix II

Date July 17, 1972

Material Sham

Reproduction Data in Mice

(Individual)

Laboratory No. 0893

Dose 0.0 mg/kg

Dam No.	Fate*	Corpora Lutea	Implant Sites	Fet:	uses Dead	M S	ex F	Resorption Sites	Average Fetus Weight (g)	Remarks
S 3241 S 3242 S 3243 S 3244	P P NP P		13 11 0 18	13 11 17		6 6 7	7 5	1	1.05 0.98 0.97	Died Day 10
S 3245 S 3246 S 3247 S 3248 S 3249	P P P P		12 11 17 13 10	11 9 17 13 10		4 3 7 6 5	6 6 10 7 5	1 2	1.02 1.04 1.11 0.85 0.84	
S 3250 S 3251 S 3252 S 3253 S 3254	NP P P NP NP		0 13 11 0	12 10	1	6 3	6 7		0.78 0.86	
S 3255 S 3256 S 3257 S 3258 S 3259	P P P P NP		8 10 11 11 0	8 10 10 9	1.	4 5 3	6 ·5 6	2	0.90 0.83 0.85 0.74	
S 3260 S 3261 S 3262 S 3263 S 3264	P P P P		11 14 6 13 10	11 14 6 12 9		5 5 3 4 4	6 9 3 8 5	1 1	0.77 0.94 0.89 0.82 0.80	

P = Pregnant; NP = Not Pregnant

Group 82

Appendix II

Date July 17, 1972

Material Aspirin

Reproduction Data in Micé

licé (Individual)

Laboratory No. 0893

Dose 150.0 mg/kg

Dam No.	Fate*	Corpora Lutea	Implant Sites	Fet:	uses Dead	s M	exF	Resorption Sites	Average Fetus Weight (g)	Remarks
2041	.		11	. 11						Died Day 9
A 3241 A 3242	P P		11 14	11 13		5	8	1	0.95	Died Day 3
A 3242 A 3243	P		14	13	•	<i>3</i>	Δ.	1	0.74	
A 3244	P		11	11		7. A	7	-	0.96	
A 3245	P		11	11		4	7		1.06	
A 3246			14	14		6	8		0.91	
A 3247	P P		11	9		4	5	2	0.88	
A 3248	P		11	10		7	3	ī	0.93	•
A 3249	NP		0		•	•		-		•
A 3250	P		11	11		4	7	•	0.97	
A 3251	. P		9	8	1	4	5	•	1.14	•
A 3252	P		12	11	1	7 ·	4		1.09	¥
A 3253	P		13	13		4	9.		0.62	
A 3254	P		16	10		4	6	6	0.71	
A 3255	P		12	11 13		4	7	1	0.64	
A 3256	P		13	13		3	10		0.83	
A 3257	NP		0		•					
A 3258	NP	•	0					•	·	•
A 3259	P	•	10	9		.3	6	1	0.86	
A 3260	NP		. 0							
A 3261	NP	•	0							
A 3262	NP		. 0					_		
A 3263	\mathbf{P}_{\cdot}		11	10		6	4	1	0.64	
A 3264	P	•	8,	8	_					Died Day 11
A 3265	P		10	9	1	6	3		0.70	
A 3266	P		11	. 8		3	5	3	0.74	
A 3267	P		11	11	•	4	, 7		0.84	

^{*} P = Pregnant; NP = Not Pregnant

Appendix II

Reproduction Data in Mice

(Individual)

Date July 17. 1972

Laboratory No. 0893 g

Dose · 8.0 mg/kg

Material FDA 71-17

Group_

Dam No.	Fate*	Corpora Lutea	Implant Sites	Fet: Alive	uses Dead	s M	ex	Resorption Sites	Average Fetus Remarks Weight (g)
G 3001 ·	P		13	· 12		8	4	1	0.94
G 3002	NP	•	0				_		
G 3003	P		12	12		5	7 ·		0.97
G 3004	NP		. 0			_			1 00
G 3005	P		15	15		8	.7	•	1.09
G 3006	Ρ.		15	13		6	7	2	0.78
G 3007	P		13	12	1	7	6	:	0.80
G 3008	P		14	11		4	7	3	0.76
G 3009	P		7	7	•	3.	4	•	1.20
G 3010	P	•	12	1.2		6	6 .	•	0.89
G 3011	NP		. 0					•	,
G 3012	NP		. 0	_					Died Day 14
G 3013	P		. 12	. 0	12				Died Day 14 0.92
G 3014	P		11	11					0.89
G 3015	P		9	9		3	6 6	1	0.87
G 3016	. P	• .	15	14		8	ь	1	0.67
G 3017	NP		0	0		^	0	9	0.70
G 3018	P	•	10	8		0	8 10	2	0.81
G 3019	P	•	15	15 11			10		0.74
G 3020	P		11	12		6	6	•	0.95
G 3021	P	•	12	11				2	0.81
G 3022	P	•	13 16	15		8	7	1	0.90
G 3023	P P		11	11		4	7	±	0.85
G 3024	P		12	11	,	8	, 3	7	0.99
G 3025	P		12 .	11	•	J		. ••	

^{*} P = Pregnant; NP = Not Pregnant

Group 88

Appendix II

Date July 17, 1972

Material FDA 71-17

Reproduction Data in Mice

(Individual)

Laboratory No. 0893 g

Dose 37.0 mg/kg

Dam No.	Fate*	Corpora Lutea	Implant Sites	Fet:	uses Dead	M S	exF	Resorption Sites	Average Fetus Weight (g)	Remarks
					 		 			
G 3031 · G 3032	P P	٠.	13 17	13 17		7 6	6 11		0.98 0.91	
G 3033 G 3034 G 3035	NP P NP		10	8		4	. 4	2	0.98	•
G 3036 G 3037	P. P		11 14	11 14		6 7	5 7	•	1.01	
G 3038 G 3039	P P		11 12	11 11		5 2	, 6 9	1	0.92 0.83	
G 3040 G 3041	P NP		 8 . 0	. 8		3	5.	<u>-</u>	0.83	•
G 3042 G 3043	P P		12 14	12 13		7 4	5 9	1	0.81 0.77	
G 3044 G 3045	P P		14	14 12		4 7	10 5	•	0.81 0.88	
G 3046 G 3047	P P	•	12 12	11 12	•	5 4	6 8	1	0.80 0.73	
G 3048 G 3049	P P	•	11 13	11 13		8 5	3 8		0.72 0.84	•
G 3050 G 3051	NP P	•	0 16	15	•			1	0.86	•
G 3052 G 3053 G 3054	P P P		14 15 15	11 13 13	1 .	6 4 6	5 10 7	3 1 2	0.94 0.92 0.92	
	•					•	•	-		•

P = Pregnant; NP = Not Pregnant

Group 89

Appendix II

Date July 17, 1972

Material FDA 71-17

Reproduction Data in

Mice (Individual)

Laboratory No. 0893 g

Dose 170.0 mg/kg

Dam No.	Fate*	Corpora Lutea	Implant Sites	Fet Alive	uses Dead	<u>s</u>	ex F	Resorption Sites	Average Fetus Weight (g)	Remarks
G 3061	P		11	. 11		5	6		0.93	
G 3062 G 3063	P P	•	11 13	10 12		4 6	6 6	1	1.02 0.91	·
G 3064 G 3065	P P		11 11	11 10		5 6	6 4	1	0.98 0.96	
G 3066 G 3067	NP NP		0	•						Died Day 16
G 3068 G 3069	P P		12 10	10 10	. 1	4 4	6	1	0.88 1.05	
G 3070 G 3071	P		12	10	· 1	4	6.	1"	0.76 0.90	
G 3072	P	· · ·	11	10	1	2	8	1	0.86	
G 3073 G 3074 G 3075	P P NP	•	12 7	12 .6		3	3	1	0.89 1.61	
G 3076	. Ъ		13	12		5	7	1	0.76	
G 3077 G 3078	P P		13 14	13 13	•	5	8	1	0.74 0.70	
G 3079 G 3080.	P P		13 12	12 12	•	6 5	6 7	1	0.77 0.93	
G 3081 G 3082	P P		· 10 11	8 9 .		6 4	2 5	2 2	1.00 1.33	

^{*} P = Pregnant; NP = Not Pregnant

90 Appendix II

Reproduction Data in Mic

Mice (Individual)

Date July 17, 1972

Laboratory No. 0893 g

Dose 800.0 mg/kg

Material FDA 71-17

Group_

Dam No.	Fate*	Corpora Lutea	Implant Sites	Fet:	Dead	Se M	F	Resorption Sites	Average Fet: Weight (g)	ıs Remarks
				 		<u> </u>				
G 3091 ·	. NP		0	. •						Died Day 15
G 3092	P	•	11	10		4	6	1	0.77	
G 3093	NP		. 0		•					Died Day 16
G 3094	NP		0				•	_		Died Day 10
G 3095	. P	•	12	11 9 9		4	· 7	1	0.92	
G 3096	P	•	11 .	9		3	6	2	0.75	•
G 3097	P		· 9	9		0	9	*	0.63	
G 3098	NP		0							Died Day 11 ,
G 3099	NP		0		•	•				Died Day 10
G 3100	NP		0.	•						
G 3101	. Р		13	0				. 13		Died Day 12
G 3102 .	. P		13	13		4	9		0.88	
G 3103	NP		0							ı
G 3104	P		10	10		2	8		0.78	
G 3105	P P		12 9	11	1.	6	6		1.10	
G 3106	P		9	9		3	6		0.84	
G 3107	P	3	12	12	•			• ,		Aborted Day 16
G 31Q8	P P		8 ·	8		4	4		0.78	• -
G 3109	P		10 12	10	•					Died Day 12
G 3110	. P			12						Died Day 14
G 3111	P	4	15	14		5	9	1	0.91	
G 3112	P		4	4		1	3		0.82	
G 3113	P P		12	11 ·		6	5	1	0.72	•
G 3114			12	12		3	9		0.51	
G 3115	P P P		13.	13	•	6	7	_	0.87	•
G 3116	P	•	13	. 12		6	.6	1 .	0.74	•
G 3117	P	•	12 11	10	. 2	·			0.78	
· G 3118	P		11	11.	•			•		Died Day 15

^{*} P = Pregnant; NP = Not Pregnant

1600

a a Same

Food and Drug Research Laboratories

INCORPORATED



Maurice Avenue at 58th Street Maspeth, New York 11378

Telephone: TWining 4-0800 Cable: Foodlabs, New York

FINAL REPORT

Submitted to: DHEW/Public Health Service

Food and Drug Administration CA-272

5600 Fishers Lane-Room 5C-13 Rockville, Maryland 20852

August 25, 1972 Date

Laboratory No. 0894 g Contract No. FDA 71-260

Sample:

Fine white powdered material

Marking:

FDA 71-17 (Sterculia (Karaya) Gum)

Examination Requested: Teratologic evaluation of FDA 71-17 in rats

Procedure:

See Appendix I

sults:

See Tables 1 through 4 and Appendix II

Subject to reexamination in the light of later findings, the Conclusion: following is concluded:

"The administration of up to 900 mg/kg (body weight) of the test material to pregnant rats for 10 consecutive days had no clearly discernible effect on nidation or on maternal or fetal survival. number of abnormalities seen in either soft or skeletal tissues of the test groups did not differ from the number occurring spontaneously in the sham-treated controls."

Comment: Attention is called to the fact that this is the ninth of a series of reports which will be issued in accordance with the terms of the contract cited above. Eventually, a total of at least 36 compounds will have been tested in 18 pairs; each pair being run concurrently against one sham-treated control and one positive control group. Because of the inherent variability of biological data of the type dealt with here, the accumulation and pooling of sequential sets of control values will greatly enhance the statistical value of the findings and the ultimate reliability of the test results.

FOOD AND DRUG RESEARCH LABORATORIES, INC.

ello Morganeido

Kenneth Morgareidge, Ph.D.

Vice President

This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed, and neither the report nor the name of these Laboratories nor of any members of its staff, may be used in connection with the advertising or sale of any product or process without written authorization.

Groups: 81 & 82: 87 through 90

Material: FDA 71-17

Table 1

Fate Summary (Rats)

Date July 17, 1972

Laboratory No. 0894 g

Croup	Material	Dose **	TΩ	tal		At Term		
Group	Material	mg/kg	Mated	Pregnant	Surviving (Tot	al) Number Pregnant		
· · · · · · · · · · · · · · · · · · ·				and the second s				
81	Sham	0.0	24	23	24	23		
. 82	Aspirin	250.0	24	22	24	22		
87	FDA 71-17	9.0	24	22	24	22		
88	FDA 71-17	42.0	24	24	24	24		
 89	FDA 71-17	200.0	24	22	24	22		
90	FDA 71-17	900.0	24	21	21	20		

^{*} Positive Control

^{**} Administered as a suspension in anhydrous corn oil; 1 ml per kg of body weight

Group: 81 & 82; 87 through 90

Material:FDA 71-17

Table 2
Reproduction Data
(Rats)

Date: July 17, 1972

Laboratory No.: 0894 g

	- 					
Group:	81	82	87	88	89	· 90
Dose (mg/kg):	Sham	Aspirin**	9.0	42.0	200.0	900.0
Pregnancies					<u>.</u>	
Total No.	23	22	22	24	22	23
Died or Aborted (before Day 20)	0	0	0	0	0	3
To term (on Day 20)	23	22	22	24	22	20
Corpora Lutea						
Total No.	264	248	248	271	249	220
Average/dam mated	11.0	10.3	10.3	11.3	10.4	9.17
Live Litters						
Total No.*	. 22	8	22	24	22	20
Implant Sites		ŭ		2.		20
Total No.	261	233	248	270	249	218
Average/dam*	11.3	10.6	11.3	11.3	11.3	10.9
	11.0	10.0	44.9	****	11.0	10.9
Resorptions Total No.*		160		22		
Dams with 1 or more sites resorbed	<u>4</u> 3	169 19	2 2	22 6	5 .	7 7
Dams with all sites resorbed	1	14	0	0	0	0
Per cent partial resorptions	13.0	86.4	9.09	25.0	18.2	35.8
Per cent complete resorptions	4.35	63.6				
Live Fetuses				•		
Total No.	257	63	246	248	243	211
Average/dam*	11.2	2.86	11.2	10.3	11.0	10.6
Sex ratio (M/F)	0.85	1.06	0.86	0.82	0.80	0.76
	- •					
Dead Fetuses Total No.*	0	•	0		•	•
Dams with 1 or more dead	U	1 1	U 	0	1	0
Dams with all dead		*				
Per cent partial dead		4.55			4.55	
Per cent all dead				***		-
Average Fetus Weight, g	3.45	-1.95	3.66	3.71	3.74	3.68

^{*}Includes only those dams examined at term.

**Positive Control: 250 mg/kg

Groups 81 & 82; 87 through 90

Laboratory No. 0894 g

Material FDA 71-17

Table 3

Date July 17, 1972

Summary of Skeletal Findings (Rats)

٠ ﴿	1	•		(Rats)					
	Findings	Group No.	81	82	87	88	89	90	
		Dose (mg/kg)	Sham	Aspirin**	9	42	200	900	
	Live Fetus	ses Examined							
	Sternebrae	(at term)	171/22	42/8	164/22	167/24	163/22	141/20	
		ete oss.	22/10	40/8		25/14	20/11	21/10	
	Scramb1	.ed	•	•			,	,	
	Biparti Fused	te							
	Extra		1/1					•	
	Missing	;	2/2	34/8	1/1	4/4	•	6/2	
	Other								
	Ribs								
	Incompl	ete oss.		12/5			1/1		
	Fused/s Wavy	plit	4/4	2/2	7 /5	C / A	3.0.75	2/2	
	Less th	an 12	4/4	17/5 2/1	7/5 1/1	6/4	12/7	2/2	
	More th	an 13	•	20/6	-, -				
0	Other	•					•		
Á	Vertebrae								
		ete oss.	9/7	40/8	5/5	5/4		3/3	
	Scramb1 Fused	ed		1 /1					
		trs. oss.		1/1					
	Scolios	is		6/2					
	Tail de Other	fects		•					
	Other								
	Skull	. •	02.40	22.42					
	Missing	ete closure	23/9	29/8	11/5	10/7	13/8	11/4	
	Cranios	tosis		6/1					
	Other				•		•		
	Extremitie	s							
	Incomp1	ete oss.		13/4				3/1	
	Missing								
	Extra								
	Miscellane			•					
	Hyoid;		22/8	27/7	9/4	8/3	14/6	6/5	
	Hyold;	reduced	3/2	. 1/1		1/1	3/3	3/2	

^{*} Numerator=Number of fetuses affected; Denominator=Number of litters affected ** Positive control at 250 mg/kg

Groups 81 & 82; 87 through 90

Date July 17, 1972

Material FDA 71-17

Laboratory No. 0894 g

Table 3-a

Summary of Soft Tissue Abnormalities (Rats)

Group	Material*	Dose level mg/kg	Dam	Pup	Description
82	Aspirin	250.0	A 4243	3	Craniocoele
02	vahitin	230.0	R 1813	2 1	Acrania Spina bifida
· · · · · · · · · · · · · · · · · · ·	· ·-		A 4245	3	Acrania, craniocoele, spina bifida
			A 4264	1	Acrania, craniocoele, spina bifida

^{*} Positive control

Groups 81 & 82; 87 through 90

Species Rats

Table 4 Average Body Weights*

Date July 17, 1972 Laboratory No. 0894 g

								_
Group	Material	Dose Level	0	6	Day 11	15	20**	•
		mg/kg			g			=
81	Sham	0.0	206	224	247	27.2	338 (23)	
82	Aspirin***	250.0	203	222	235	252	272 (2 ²)	
87	FDA 71-17	9.0	208	227	251	271	341 (22)	
88	FDA 71-17	42.0	201	221	244	266	337 (24)	
89	FDA 71-17	200.0	201	220	242	268	337 (22)	
90	FDA 71-17	900.0	196	213	235	254	324 (20)	

Of pregnant dams Number of surviving dams in parentheses (c.f. Table 1) Positive control



Appendix I

Teratology Study in Rats

Virgin adult female albino rats (Wistar derived stock) were individually housed in mesh bottom cages in temperature and humidity-controlled quarters with free access to food and fresh tap water. They were mated with young adult males, and observation of the vaginal sperm plug was considered Day 0 of gestation. Beginning on Day 6 and continuing daily through Day 15 of gestation, the females were dosed with the indicated dosages by oral intubation; the controls were sham treated.

Body weights were recorded on Days 0,6,11,15, and 20 of gestation. All animals were observed daily for appearance and behavior with particular attention to food consumption and weight, in order to rule out any abnormalities which may have occurred as a result of anorexic effects in the pregnant female animal.

On Day 20 all dams were subjected to Caesarean section under surgical anesthesia, and the numbers of implantation sites, resorption sites, and live and dead fetuses were recorded. The body weights of the live pups were also recorded. The urogenital tract of each dam was examined in detail for anatomical normality.

All fetuses were examined grossly for the presence of external congenital abnormalities. One-third of the fetuses of each litter underwent detailed visceral examinations employing 10X magnification. The remaining two-thirds were cleared in potassium hydroxide (KOH), stained with alizarin red S dye and examined for skeletal defects.

Group 81

Appendix II

Date <u>July 17, 1972</u>

Material Sham

Reproduction Data in Rats

(Individual)

Laboratory No. 0894

Dose 0.0 mg/kg

Dam No.	Fate*	Corpora Lutea	Implant Sites	Fet Alive	uses Dead	Se M	ex F	Resorption Sites	Average Fetus Weight (g)	Remarks
S 4241 S 4242	P P	11	11 14	11 14		4 6	7 8	•	3.71 3.40	•
S 4243 S 4244 S 4245	P P P	10 11 10	10 11 10	10 11 10		3	8 7		3.92 3.22 3.46	
S 4246 S 4247 S 4248	NP P P	0 14 11	. 0 12 11	11 11		8	3 5	1	3.45 3.35	
S 4249 S 4250 S 4251	P P P	14 12 12	14 12 12	14 12 12		7 4 2	7 8 10	•	3.90 3.46 3.29	
S 4252 S 4253 S 4254	P P P	12 12 13	12 11 13	11 11 13		3 7 7	8 4 · 6	1	3.36 3.78 3.72	
S 4255 S 4256 S 4257	P P P	12 12 12	12 12 12	12 12 12		7 7 6	. 5 · · 5 6	•	2.98 3.38 3.38	
S 4258 S 4259 S 4260	P P P	12 12 12	12 12 12	12 12 12		.6 8 4	6 4 8		3.21 3.38 3.34	
S 4261 S 4262 S 4263	P P P	11 13 2	11 13 2	11		5	6	. 2	3.40 3.15	
S 4264	P	10	10	10		4	6	-	3.72	

^{*} P = Pregnant; NP = Not Pregnant

Group 82

Appendix II

Date July 17, 1972

Material Aspirin

Reproduction Data in Rats

(Individual)

Laboratory No. 0894

Dose 250.0 mg/kg

Dam No.	Fate*	Corpora Lutea	Implant Sites	Fet	uses Dead	Se M	F	Resorption Sites	Average Fetus Weight (g)	Remarks
								:		
A 4241	P	. 8	3 -					3		
A 4242	P	. 11	11	11		7	4		2.77	•
A 4243	P	13	13	13		6	7 ·		2.06	•
A 4244	P	15	14	9	1	4	6	4	1.82	
A 4245	. Р	12	. 12	6		2	· 4	6	1.45	•
A 4246	P .	1.3	. 13	1		0	1	12	2.10	
A 4247	P	12	12		•			12 12		•
A 4248	NP	10	· 0							•
A 4249	P	12	12		'		•	12	·	
A 4250	P	10	9.		•			9		
A 4251	P	12	12					· 12		
A 4252	P	. 11	5			•		5		•
A 4253	· P	12	12					12		•
A 4254	P	11	11					11		
A 4255	. P	9	9					9	-	
A 4256	P	11	10			·		10		•
A 4257	NP	. 0	0		•					•
A 4258	P	13	12					12		
A 4259		12	12	. •				12		•
A 4260	P P	12	12					12		
A 4261	P	. ' 7	. 7		,			7		
A 4262	. P	9	. 9	6		5	1	3	1.63	
A 4263	P	9	9	3		2	ī	6	1.67	
A 4264	P	14	14	14		7	7		2.12	
								•		

^{*} P = Pregnant; NP = Not Pregnant

Group 87

Appendix II

Rats

Date <u>July 17, 1972</u>

Material FDA 71-17

Reproduction Data in

(Individual)

Laboratory No. 0894 q

Dose 9.0 mg/kg

Dam No.	Fate*	Corpora Lutea	Implant Sites	Fet Alive	uses Dead M	Sex F	Resorption Sites	Average Fetus Weight (g)	Remarks
						· · · · · · · · · · · · · · · · · · ·	•	• ,	•
G 4001	P	8	8	8	4	· 4		4.33	•
G 4002	P	8	8	8	2	6		3.96	:
G 4003	P	13	13	13	5	8		3.85	•
G 4004	P	9	9	9	3	6		3 . 60 .	
G 4005	. P .	15	15	15	. 8	7	•	3.51	
G 4006	P·	9	. 9	9	4	5		3.73	
G 4007	P	13	13	13	· 7	6		3.51	
G 4008	P	. 9	. 9	9	_ 5	4		4.07	
G 4009	P	12	12	12	5	7		3.89	
G 4010	P	14	14	14	3	11	·	3.74	
G 4011	· P	11	.11	10	5	5	· 1	3.92	•,
G 4012	P	12	12	. 12	6	. 6		3.64	•
G 4013	P	11	11	11	4	7		3.52	
G 4014	P	13	13	13	11	2	•	3.35	·
G 4015	NP	0	0						
G 4016	NP	0	. 0	•					
G 4017	P	12	12	12	5	7		3.27	
G 4018	P .	10	10	10	.7	3	•	3.53	
G 4019	P	10	10	10	5	5		3.42	. -
G 4020	P	11	· 11	11	. 1	10	•	3.60	
G 4021	P	10	10	9	. 5	4	1	3.43	
G 4022	P	15	15	15	4	11		3.57	
G 4023	\mathbf{P}^{-1}	12	12	12	5	7		3.48	
G 4024	P	11	11	11	10	1		3.61	
							•		

^{*} P = Pregnant; NP = Not Pregnant

Group 88

Appendix II

Date July 17, 1972

Material FDA 71-17

Reproduction Data in Rats

(Individual)

Laboratory No. 0894 g

Dose 42.0 mg/kg

Dam No.	Fate*	Corpora	Implant	Fet	uses	S	ex	Resorption	Average Fetus	Remarks
		Lutea	Sites	Alive	Dead	M	F	Sites	Weight (g)	
G 4031	. P	13	13	13		4	9		4.16	
G 4031	P	11	11	11		7	<i>3</i>		3.80	
G 4032	P	12	12	12	·	ν Ω	4		3.91	
G 4034	P	11	11	5		3	2	6	3.60	
G 4035	. P	10	10	9		3	-6	1	3.69	
G 4036	. <u>.</u> P	13	13	13 .		7	6	-	3.87	
G 4037	P	9	9	9		,	. 7	•	3.87	
G 4038	P	11	11	11		4	7		4.00	
G 4039	P	11	11	5	•	2	3	6	3.26	•
G 4040	P	11	11	11		5	6		3.56	
G 4041	P	14	14	14		4	10	•	3.74	
G 4042	P	10	10	10		4	6		3.77	
G 4043	P	10	10	10		5	5		3.72	
G 4044	P	10	9	9		3	6	. •	3.58	
G 4045	. P	11	11	11		5	6		3.41	
G 4046	P	16	16	16		6	10		3.48	
G 4047	P	5	5	16 5	•	4	1		3.96	•
G 4048	P	14	14	12 6		5	7	2	3.33	
G 4049	P	7	7	[.] 6		4	2	1	4.07	•
G 4050	P	14	14	14		7	7	• •	3.59	
G 4051	P	13	. 13	13		8	5		3.78	•
G 4052	P	11	11	5		3	2	· 6	3.66	
G 4053	P	13	13	13		5	8		3.68	
G 4054	P	11	. 11	11		4	7	,	3.48	
							•	•		

^{*} P = Pregnant; NP = Not Pregnant

Group 89

Appendix II

Date July 17. 1972

Material FDA 71-17

Reproduction Data in

Rats (Individual)

Laboratory No. 0894 g

Dose 200.0 mg/kg

Dam No.	Fate*	Corpora Lutea	Implant Sites	Fet: Alive	uses Dead	S M	ex F	Resorption Sites	Average Fetus Weight (g)	Remarks
G 4061	P	. 13	13	11	1	4	7	1	3.76	
G 4062	P	10	10	10		7	3		3.88	
G 4063	P	12	12	10		7	3	2	3.70	•
G 4064	$\mathbf{P}^{'}$	11	11	11		2	9		4.15	
G 4065 .	NP	0	. 0				,			
G 4066	P	13	13	13		6	7		3.63	
G 4067	P	10	10	10	•	8	2		3.87	
G 4068	P	12	12	12		· 2	10		3.70	
G 4069	P .	. 12	12	12		5	7		3.73 ·	
G 4070	P	10	10	10	•	4	6		3.86	
G 4071	P	12	12	12		4	8	•	3.69	
G 4072	P	10	10	10		5 ·	5		3.99	
G 4073	P	10	10	10		2	8	•	3.91	
G 4074	NP	0	0 ,							•
G 4075	P	11	11	10		4	. 6	1	3.78	
G 4076	P	11	11	11		7	4	•	3.45	
G 4077	P	12	12	12		8	. 4		3.98	
G 4078	P	14	14	14		5	9	•	3.49	
G 4079	P	10	10	10		3	7		3.40	
G 4080	P	14	· 14	14		5	9		3.19	
G 4081	P	12	12	11	*	3	8	1	3.29	
G 4082	P	13	13	13		6	7		3.72	
G 4083	P	6	6	6		4	. 2		4.15	
G 4084	P	11	11	11	•	7	4		3.93	

P = Pregnant; NP = Not Pregnant

Group 90

Appendix II

Date July 17, 1972

Material FDA 71-17

Reproduction Data in Rats

(Individual)

Laboratory No. 0894 q

Dose 900.0 mg/kg

Dam No.	Fate*	Corpora Lutea	Implant Sites	Fetu Alive	lses Dead	M	Sex F	Resorption Sites	Average Fett Weight (g)	ıs Remarks
G 4001		• •	10	10		_	· •	•	2 02	
G 4091	P	11 9	10	10) 1	5		3.93	
G 4092	P P			8		3	5	.	1.46	•
G 4093		13	13	13		ī	12		3.55	•
G 4094	P	13	13	13		2	12 8 7	·	3.58	•
G 4095	. P.	14	. 13	13		6	7	· ·	3.79	
G 4096	P.	11	. 11	. 10	•	′	3 7	Ţ	4.05	
G 4097	P	11	9	8		T	,	1.	3.71	54 - 3 5 3 3
G 4098	P P		10 13	1.2		-	_	10	2 05	Died Day 13
G 4099		13		13		7	6		3.85	Dia
G 4100	NP	•	0	•		_	-		2 01	Died Day 11-Accid
G 4101	P	9	9	9		2 7	/	•	3.91	•
G 4102	P	. 10	11	10		/	3	1	5.26	
G 4103	NP		0			_	_	. •		Died Day 21
G 4104	P	4	4	3		1	• 2	1	3.50	•
G 4105	. NP	. 10	. 0	•		_				
G 4106	P	9	9 .	9	•	6	3		3.91	
G 4107	· P	11	11	11		8	3	•	3.53	•
G 4108	` P ·	11	11	11		.8	3	•.	3.62	•
G 4109	P	12	12	11		4	7	. 1	3.42	•
G 4110	P	13	13	13	•	6	7	•	3.65	
G 4111	P	13	14	13	•	5	8	1	3.70	
G 4112	P	10	10	10		4	6	•	3.54	
G 4113	P	12	12	12		2	10 8		3.91	
G 4114	P	. 11	11	11		3	8		. 3.72	

^{*} P = Pregnant; NP = Not Pregnant

HAMSTERS

Food and Drug Esearch Laboratories

INCORPORATED



Maurice Avenue at 58th Street Maspeth, New York 11378

> Telephone: TWining 4-0800 Cable: Foodlabs, New York

FINAL REPORT

Submitted to: DHEW/Public Health Service

Food and Drug Administration CA-272

5600 Fishers Lane-Room 5C-13 Rockville, Maryland 20852

Date August 25, 1972

Laboratory No. 0895 g Contract No. FDA 71-260

Sample:

Fine white powdered material

Marking:

FDA 71-17 (Sterculia (Karaya) Gum)

Examination Requested: Teratologic evaluation of FDA 71-17 in hamsters

Procedure:

See Appendix I

sults:

See Tables 1 through 4 and Appendix II

Conclusion: Subject to reexamination in the light of later findings, the following is concluded:

"The administration of up to 600 mg/kg (body weight) of the test material to pregnant hamsters for 5 consecutive days had no clearly discernible effect on nidation or on maternal or fetal survival. The number of abnormalities seen in either soft or skeletal tissues of the test groups did not differ from the number occurring spontaneously in the sham-treated controls."

Comment: Attention is called to the fact that this is the ninth of a series of reports which will be issued in accordance with the terms of the contract cited above. Eventually, a total of at least 36 compounds will have been tested in 18 pairs; each pair being run concurrently against one sham-treated control and one positive control group. Because of the inherent variability of biological data of the type dealt with here, the accumulation and pooling of sequential sets of control values will greatly enhance the statistical value of the findings and the ultimate reliability of the test results.

FOOD AND DRUG RESEARCH LABORATORIES, INC.

ennell Morganei Kenneth Morgareidge, Ph.D (

This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed, and neither the report nor the pame of these Laboratories nor of any members of its staff, may be used in connection with the advertising or sale of any product or process without written authorization.

Groups: 81 & 82; 87 through 90

Material: FDA 71-17

Table 1

Fate Summary (Hamsters)

Date July 17, 1972
Laboratory No. 0895 g

Group	Material	Dose**	Tot	al	At Term				
		mg/kg	Mated	Pregnant	Surviving (Total)				
81	Sham	0	21	21	19	19			
82	Aspirin*	250	23	21	23	21			
87	FDA 71-17	6	21	20	21	20			
88	FDA 71-17	28	20	20	20	20			
89	FDA 71-17	130	20	19	19	18			
90	FDA 71-17	600	22	21	22	21			

^{*} Positive Control

^{**} Administered as a suspension in anhydrous corn oil; 1 ml per kg of body weight.

Group: 81 & 82; 87 through 90

Material: FDA 71-17

Table 2
Reproduction Data
(Hamsters)

Date: July 17, 1972

Laboratory No.: 0895 a

Group:	81	82	87	88	8.9	90
Dose (mg/kg):	Sham	Aspirin	6	28	130	600
Pregnancies Total No.	21	21	20	20	19	21
Died or Aborted (before Day 14) To term (on Day 14)	2 19	0 21	0 20	0 20	1 18	1 21
Corpora Lutea Total No. Average/dam mated						
Live Litters Total No.*	19	21	20	20	18	21
<pre>Implant Sites Total No. Average/dam*</pre>	231 12.2	262 12.5	242 12.1	261 13.1	226 12.6	266 12.7
Resorptions Total No.* Dams with 1 or more sites resorbed Dams with all sites resorbed Per cent partial resorptions Per cent complete resorptions	10 ed 5 0 26.3	9 7 0 33.3	13 7 0 35.0	12 6 0 30.0	8 6 0 33, 3	8 4 0 19.0
Live Fetuses Total No. Average/dam* Sex ratio (M/F)	219 11.5 0.44	253 12.0 0.68	229 11.5 0.54	249 12.5 0.46	217 12.1 0.51	258 12.3 0.43
Dead Fetuses Total No.*	2	0	0	0	1	0
Dams with 1 or more dead Dams with all dead	2	<u> </u>	-	-	1	-
Per cent partial dead Per cent all dead	10.5	- -	. — — — —	-	5.56	
Average Fetus Weight, g	1.78	1. 80	1.84	1.77	1. 83	1. 90

^{*}Includes only those dams examined at term.

Groups 81 & 82: 87 through 90

Laboratory No. 0895 g

Material FDA 71-17

Table 3

Date July 17, 1972

Summary of Skeletal Findings (Hamsters)

				:	•	•	
Findings	Group No.	81	82	87	88	89	90
 1 111011160	Dose (mg/kg)	Sham	Aspirin**	6	28	130	600
Live Fetus	es Examined (at (at term)	term) 154/19	177/21	160/20	173/20	152/18	181/2
	ete oss.	48/16	52/18	53/16	55/16	46/15	78/19
Scrambl Biparti		25/11	23/13	25/13	21/13	14/11	17/10
Fused Extra Missing Other		17/8	39/15	5/5 25/10	37/11	9/3	9/6 20/8
Fused/s	ete oss. plit					•	
Wavy Less th More th Other		13/8	25/8	40/17	32/14	28/13	48/1
Scramb1	ete oss. ed			2/1		· .	2/1
Fused Extra c Scolios Tail de Other			1/1	1/1	1/1		1/1
Skull Incompl Missing Cranios Other			•				
Extremitie Incompl Missing Extra	ete oss.				19/6		1/1
Miscellane Hyoid; Hyoid;	missing	2/2 3/2	7/4 14/9		5/3 9/6	, c	1/1 4/2

^{*} Numerator=Number of fetuses affected; Denominator=Number of litters affected ** Positive control: 250 mg/kg

Groups 81 & 82; 87 through 90

Date July 17, 1972

Material FDA 71-17

Laboratory No. 0895 g

Table 3-a

Summary of Soft Tissue Abnormalities (Hamsters)

Group

Material

Dose level mg/kg

Dam

Number of Pups Description

None Observed

FOOD AND DRUG RESEARCH LABORATORIES, INC.

Groups 81 & 82; 87 through 90

Species Hamsters

Table 4 Average Body Weights* Date July 17, 1972 Laboratory No. 0895

					Day		
Group	Material	Dose Level	0	6	8	10	15**
	· · · · · · · · · · · · · · · · · · ·	mg/kg			8		
81	Sham	0.0	98.7	103.8	101.9	113.7	135.3 (19)
82	Aspirin***	250.0	101.4	106.4	110.7	122.2	143.8 (21)
87	FDA 71-17	6.0	102.7	107.2	111.1	122.0	141.7 (20)
88	FDA 71-17	28.0	106.1	111.6	115.3	125.6	145.8 (20)
89	FDA 71-17	130.0	98.1	102.4	107.2	117.7	137.8 (19)
90	FDA 71-17	600.0	102.0	107.1	110.9	122.8	145.7 (21)

Of pregnant dams Number of surviving dams in parentheses (c.f. Table 1)

Positive control:



Appendix I

Teratology Study in Hamsters

Virgin adult female golden hamsters from an outbred strain were individually housed in mesh bottom cages in temperature and humidity controlled quarters with free access to food and fresh tap water at all times. They were mated (1 to 1) with mature males and the appearance of motile sperm in the vaginal smear was considered as Day 0 of gestation. Beginning on Day 6 and continuing daily through Day 10 of gestation, the indicated dose levels of the test material were administered by oral intubation; the controls were sham-treated.

Body weights were recorded on Days 0, 8, 10, and 14 of the gestation 'period. All animals were observed daily for appearance and behavior with particular attention to food consumption in order to better recognize any abnormalities resulting from anorexic effects in the pregnant animal.

On Day 14, all animals were subjected to Caesarian section under deep anesthesia and the numbers of implantation sites, resorption sites, live and dead fetuses were recorded. All live pups were weighed and the genital tract of each dam was examined for any anatomical abnormalities.

All fetuses were examined grossly for the presence of external congenital defects and one-third of each litter underwent detailed visceral examination under 10X magnification. The remaining two-thirds of the pups were cleared in potassium hydroxide, stained with alizarin red dye, and examined for the presence of sketal abnormalities.

FOOD AND DRUG RESEAL A LABORATORIES, INC.

Group 81

Appendix II

Date <u>July 17, 1972</u>

Material Sham

Reproduction Data in Hamsters (Individual)

lual) Labor

Laboratory No. 0895

Dose 0.0 mg/kg

Dam No.	Fate*	Corpora Lutea	Implant Sites	Fet:	uses. Dead	M	Sex F	Resorption Sites	Average Fetus Weight (g)	Remarks
							-			
S 5241	P		12	12						Died Day 11
S 5242	P		11	11		2	9		1.81	
S 5243	P		15	15	•	4	11		1.75	
S 5244	P		14	10		2	8	4	1.73	•
S 5245	'P		14	14		4	10		1.64	
S 5246	P		12	12						Died Day 13
S 5247	P		10	10		2	8		1.85	
S 5248	P		11	11 .		6	5		1.91	
S 5249	P		13	13		6	7		1.73	
S 5250	P		14	14		3	11`		1.98	•
S 5251	P		. 10	9		3	6	. 1	1.85	
S 5252	P		11	9	1	2	7	1	1.93	
S 5253	P		11	11		1	10		2.08	
S 5254	P ·	·	12	12		0	12		1.65	
S 5255	P P		13	10		1	9	3	1.67	
S 5256	P		12	11	1	2	9		1.48	
S 5257	P		11	11	_	7	4	•	2.05	
S 5258	P	1	14	14		8	6		1.74	· · · · · · · · · · · · · · · · · · ·
S 5259	P		12	12		6	6		1.67	. •
S 5260	P		11	11		5	6	•	1.75	
S 5261	P		12	11		3	8	1 .	1.62	

P = Pregnant; NP = Not Pregnant

FOOD AND DRUG RESEAR LABORATORIES, INC.

Group_ 82 Appendix II

Date July 17, 1972

Material Aspirin

Reproduction Data in Hamsters (Individual)

Laboratory No. 0895

250.0 mg/kg Dose

Dam No.	Fate*	Corpora Lutea	Implant Sites	Fetus Alive	es Dead	S M	ex F	Resorption Sites	Average Fetus Weight (g)	Remarks
				,		_		_		
A 5241	P		12	11		1	10	1	1.81	
A 5242	P		10	8		1	7	2	1.84	
A 5243	. P		13	13		4	. 9		1.92	
A 5244	P		13	13		8	5	_	1.91	•
A 5245	\mathbf{P}_{\cdot}		10	8		4	4	2	1.86	
A 5246	P		12	12		6	6		1.75	
A 5247	P		14	14		5	9		1.84	
A 5248	P	•	12	12		5	7		1.93	
A 5249	P		15	15		6	9.		1.96	
A 5250	NP		0						*	
A 5251	P		12	11		7	4	. 1	1.75	
A 5252	P		11	11		4	7	•	1.86	
A 5253	NP		0							
A 5254	P		11	11		5	6		1.52	
A 5255	P		9	8		1	- 7	1 .	1.90	
A 5256	r P	, •	16	16		5	11		1.70	
A 5257	. Р		17	17		9		•	1.76	
A 5258	P		14	14		4	10		1.79	
A 5259	P		15	15 .		10	5		1.64	
A 5260	P		11	10		5	5	1	2.02	
A 5261	P		11	11		4	7		1.74	
A 5262	P		13	12		5	7	1	1.58	
A 5263	P		11	11		3	8		1.78	

^{*} P = Pregnant; NP = Not Pregnant

FOOD AND DRUG RESEA. 24 LABORATORIES, INC.

Appendix II

87 Group

Material FDA 71-17

Reproduction Data in Hamsters (Individual)

Date July 17, 1972

Laboratory No. 0895 q

6.0 mg/kgDose

Fate*	Corpora	Implant	Fet	uses.	s	ex	Resorption	Average Fetus	Remarks
	Lutea	Sites	Alive	Dead	M	F	Sites	Weight (g)	•,
***				 					•
NP	•	0						*** *** ***	
P		12	12		4	8		1.56	*
P				•	3	9 .		1.99	•
P					2	8		1.88	
'P					7	7	1	1.77	
P					5	8		2.08	
P		. 9	9		1	8		2.16	
P		13	13		6	7		1.88	
P					5	6	1	1.88	
P			10	•	1	9`	1	1.90	
P					3	9	1	1.91	
P					5 ·	5	1	1.86	
·P					0	14		2.01	•
P		15			0	15		1.94	
P		14	14		8	6		1.57	
P		16	16		7	9		1.76	
P		12	12		2	10	•	1.69	. ,
P		11	10		6	4	1	1.63	
P		4	4		2	2		· 1.80	•
P		12	12		3	9	•		
P		13	6		4	2	7	1.71	
	P	Lutea NP P P P P P P P P P P P P P P P P P	NP 0 P 12 P 12 P 10 P 15 P 13 P 9 P 13 P 9 P 13 P 12 P 14 P 15 P 14 P 16 P 12 P 11 P 14 P 16	NP 0 P 12 12 P 12 12 P 10 10 P 15 14 P 13 13 P 9 9 P 13 13 P 12 11 P 11 10 P 11 10 P 14 14 P 15 15 P 14 14 P 15 15 P 14 14 P 16 16 P 12 12 P 11 10 P 4 4 P 12 12	NP	NP	NP	NP	NP

^{*} P = Pregnant; NP = Not Pregnant ** Weights not recorded

FOOD AND DRUG RESEAR & LABORATORIES, INC.

Appendix II

.

Date July 17, 1972

Material FDA 71-17

Group_

Reproduction Data in Hamsters (Individual)

Laboratory No. 0895 g

Dose 28.0 mg/kg

88

Dam No.	Fate*	Corpora Lutea	Implant Sites	Fet:	uses Dead	S M	ex F	Resorption Sites	Average Fetus Weight (g)	Remarks
			3.0	0		1	7	4	1.77	
G 5031	P	•	12	8			8	**	1.86	
G 5032	P		13	13		2	10	. 2	1.65	
G 5033	\mathbf{P}_{-}		14	12		7	. 6	~	1.61	
G 5034	'P		13	13		, C	6	1	1.73	•
G 5035	P		13	12		6	8		1.90	
G 5036	P		13	13		3	10		2.03	
G 5037	P		14	14		4	9		2.03	
G 5038	P		13	13		2	10	1	1.54	
G 5039	P		14	13		3	9	.	1.61	
G 5040	P		10	10		1	7	2	1.93	
G 5041	P		13	11		4	1 =	. 2	1.71	
G 5042	P		15	15		0	15	•	1.83	
G 5043	P		13	13		Ü	13	•	1.92	
G 5044	Ρ.		11	11		8	3		1.65	
G 5045	P		14	14		/	, /		1.73	
G 5046	P	a.	16	16		·4	12	•	1.70	
G 5047	P		11	11		1	10	•		
G 5048	P		12	10		5	5	2	1.82	
G 5049	P		16	16		5	11		1.46	
G 5050	P		11	11		7	4		2.00	

^{*} P = Pregnant; NP = Not Pregnant

FOOD AND DRUG RESEA. 24 LABORATORIES, INC.

Group 89

Dose

Material FDA 71-17

130.0 mg/kg

Appendix II

Reproduction Data in Hamsters (Individual)

Date July 17, 1972

Laboratory No. 0895 g

Dam No.	No. Fate* Corpora Implant		Feti	Fetuses Sex			Resorption	Average Fetus	Remarks	
<u> </u>		Lutea	Sites	Alive	Dead	M	F	Sites	Weight (g)	
G 5061	P		13	11		0	11	2	1.69	
G 5062	P		12	11		3	8	1	1.77	•
G 5063	P		15	15		5	10		1.85	•
G 5064	P		12	12		6 .	6		1.91	
G 5065	P		14	14	•	2	12		1.88	
G 5066	P		13	12	1	4	8		1.98	
G 5067	P.	•	11	11		4	7		1.88	
G 5068	P	4	8	8 .		3	5		1.72	
G 5069	P		13	12		5	7	1	1.53	
G 5070	NP		0				•			
G 5071	P		12	11		3	8	1	1.90	
G 5072	P		12	12		0 .	12		1.95	
G 5073	P		14	14		3	11		1.91	
G 5074	P		11	10		6	· 4	1	1.75	
G 5075	P		14	12		4	8	2	1.67	·
G 5076	P	•	12	12		4	. 8		1.99	
G 5077	P		13	13						Died Day 14
G 5078	P		12	12		6	6	•	1.84	
G 5079	P		14	14		7	7	•	1.82	
G 5080	P		14	14		8	6		1.83	·

^{*} P = Pregnant; NP = Not Pregnant

FOOD AND DRUG RESEARCH LABORATORIES, INC.

Appendix II 90 Group_

Reproduction Data in Hamsters (Individual)

Date <u>July 17, 1972</u>

Laboratory No. 0895 q Material FDA 71-17

600.0 mg/kg

Dam No.	Fate*	Corpora Lutea	Implant Sites	Fet: Alive	uses Dead	S M	ex F	Resorption Sites	Average Fetus Weight (g)	Remarks
									1.00	
G 5091	P		11	11		0	11		1.93	•
G 5092	P		12	12		4	8	_	1.77	
G 5093	P		11	10		4	6	1 .	1.70	
G 5094	P		15	15		9	6		1.97	
G 5095	`P		9	7		4	3	2	1.83	
G 5096	P		12	12		5	7	•	1.94	
G 5097	Р.		11	11		3	8		2.08	
G 5098	P		13	13 .		2	11		2.25	
G 5099	P		13	13		3	10		2.08	
G 5100	P		11	11		2	9`		1.89	•
G 5101	P		14	14		9	5		1.82	•
G 5102	P		13	13		0	13		1.92	
G 5102	·P		16	16		ì	15		1.83	
G 5103	P		14	14		3	11		1.76	
G 5104	P		12	11		2	9	1	2.00	•
	=		11	11		-	Ś	_	1.63	
G 5106	P P	100	14	14		5	9		2.02	•
G 5107	P		15	15		7	8		1.78	
G 5108			_	13		•	Ū			
G 5109	NP		0	9		2	6	4	2.03	
G 5110	P		13	_		2		4	2.03	
G 5111	P		12	12		2	10		1.70	•
G 5112	P		14	14		4	10		1.70	

^{*} P = Pregnant; NP = Not Pregnant

Food and Drug Fesearch Laboratories





Maurice Avenue at 58th Street Maspeth, New York 11378

> Telephone: TWining 4-0800 Cable: Foodlabs, New York

FINAL REPORT

Submitted to:

DHEW/Public Health Service

Food and Drug Administration CA-272

5600 Fishers Lane-Room 5C-13

Rockville, Maryland 20852

August 25, 1972 Date

Laboratory No. 0896 g Contract No. FDA 71-260

Sample:

Fine white powdered material

Marking:

FDA 71-17 (Sterculia (Karaya) Gum)

Examination Requested: Teratologic evaluation of FDA 71-17 in rabbits

Procedure:

(See Appendix I)

ults:

(To Follow)

Conclusion:

(This test has been deferred due to unavailability of suitable rabbits.)

FOOD AND DRUG RESEARCH LABORATORIES, INC.

Kenneth Morgarei ge, Ph.D 🤇

Vice President

Vice President

This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed, and neither the report nor the name of these Laboratories nor of any members of its staff, may be used in connection with the advertising or sale of any product or process without written authorization.



Appendix I

Teratology Study in Rabbits

Virgin, adult, Dutch-belted female rabbits were individually housed in mesh bottom cages in temperature and humidity-controlled quarters with free access to food and fresh tap water. On Day 0, each doe was given an injection of 0.4 ml of human chorionic gonadotropin (400 IU) via the marginal ear vein. Three hours later, each doe was inseminated artificially with 0.3 ml of diluted semen from a proven donor buck using approximately 20 x 10 motile sperm according to the procedure described by Vogin et al (Pharmacologist 11, 282 (1969)). Beginning on Day 6 and continuing daily through Day 18 the females were dosed with the indicated dosages by oral intubation; the controls were sham treated.

Body weights were recorded on Days 0,6,12,18, and 29 of gestation. All animals were observed daily for appearance and behavior, with particular attention to food consumption and body weight in order to rule out any abnormalities which may have occurred as a result of anorexic effects in the pregnant female animal.

On Day 29 all does were subjected to Caesarean section under surgical anesthesia, and the numbers of corpora lutea, implantation sites, resorption sites and live and dead fetuses were recorded. Body weights of the live pups were also recorded. The urogenital tract of each animal was examined in detail for normality. In addition all fetuses underwent a detailed gross examination for the presence of external congenital abnormalities. The live fetuses of



each litter were then placed in an incubator for 24 hours for the evaluation of neonatal survival. All surviving pups were sacrificed, and all pups examined for visceral abnormalities (by dissection). All fetuses were then cleared in potassium hydroxide (KOH), stained with alizarin red S dye and examined for skeletal defects.